No.



9300205

# Asgrob Seed Company

Colherens. There has been presented to the

### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT. THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ariety therefrom, to the extent provided by the Plant Variety Protection Act TAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'A1395'

In Testimony Minercot, I have hereunto set my hand and caused the seal of the Elaut Variety Protection Office to be affixed at the City of Washington, D.C.

this 29th September day of the year of our Lord one thousand nine

hundred and ninety-five.

Plant Variety Protection Office ricultural Marketing Service

trubic reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250, and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055). Washington, 20250.

FORM APPROVED: OMB 0581-0055, Expires 1/3191

AGRICULTURAL MARKE	TING SERVICE	CTION	I CERTIFICA	.TE	deter	mine if a plant variety protection cate is to be issued (7 U.S.C. 2421)
(Instructions on	reverse)					
	The final of the first of the components of the					
ASGROW SEED COMPANY		XP1516	5	A1395		
4 'ADDRESS (street and no or R.F.D. no., city. state, and ZIP)		5 PHONE (Include	area code)		FOR OFFICIAL USE ONLY	
9646@190-20			616 206	2251	PVPO	NUMBER
			010 384	233 L		070000
Kaiamazoo, Mi 49001						9300203
					1	1 - 4 - 4
6 GENUS AND SPECIES NAME	7 FAMILY NAM	IE (Botanii	:et)	<del> </del>	1	Time
Glycine Max	Legumi	nosa	1	,		2:35 DAM MPM
8 CROP KIND NAME (Common Name)	<u> </u>	9	DATE OF DETERMINA	ATION		
Soybean			_		€	.2325, 00
10 IF THE APPLICANT NAMED IS NOT A "PERSON." GIVE FORM OF ORGA	NIZATION /Corner	20/22 222			4 .	Antil 12 1002
Corporation	MEATION (CORPOR	wildon, pan	nersnip, association,	etc i	Ε	Saution 500
				<u> </u>		275 00
Delaware		i		SIGNATION OR 3 VARIETY NAME A1395  A1		
12 NAVE AND ADDRESS OF THE STATE OF THE STAT	1988  TAPPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION (Corporation, partnership, association, etc.)  TO PROPORATED, GIVE STATE OF INCORPORATION  Taware  AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS  Wayne Hoener 616 384 2351  Dr. Alan Walker 608 755 1777  Asgrow Seed Company  Grow Seed Company  Grow Seed Company Gull Rd—Bldg190 55926 Hwy 14 East  Lamazoo, MI 49001  Appropriate Box for Each attrachment submitted (Follow INSTRUCTIONS on reverse)  Exhibit A, Origin and Breeding History of the Variety  Exhibit C, Objective Description of Variety  Exhibit C, Statement of the Basis of Applicant's Ownership  Seed Sample (2,500 viable untreated seeds)  Date Seed Sample mailed to Plant Variety Protection Office  Filing and Examination Fee (\$2,150) made payable to "Treasurer of the United States"			August 15, 1995		
9646-190-20 Asgrow Seed Company Gull Rd-Bl Kalamazoo, MI 49001  14 CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Folia)  Exhibit A. Origin and Breeding History of the Variety  Exhibit B, Novelty Statement  Exhibit C, Objective Description of Variety  Exhibit D, Additional Description of Variety  Exhibit E, Statement of the Basis of Applicant's Ownerst  Seed Sample (2,500 viable untreated seeds) Date Seed  Filing and Examination Fee (\$2,150) made payable to	dg190300	Asgr 5926 <u>Jane</u> s on revel to Plant V	OW Seed C Hwy 14 E SV111ePHONE  For the service of	ompany ast Widelude 5 23 500	ido	
YES (# "YES " answer dems 16 and 17 be	olow) XX	NO (# "A	O," skip to item 18 b	elow)		
grang grang	10   17	F "YES" TO	DITEM 16, WHICH CI	ASSES OF PRODU	JÇTKON I	BEYOND BREEDER SEED?
	į	_	NOTAM	REGIST	TERED	CERTIFIED
YES ## "YES." through Plant Variety Protection Act	Palent Act	Give da		)		
YES (II "YES," give names of countries and dates)						
20 The applicant(s) declare(s) that a viable sample of basic so request in accordance with such regulations as may be app. The undersigned applicant(s) is (are) the owner(s) of this uniform, and stable as required in section 41, and is entitle Applicant(s) is (are) informed that false representation her	licable. : sexually repr :d to protection	oduced i	novel plant varione provisions of s	ety, and believ ection 42 of the	otes th	nt the veriety is distinct
SIGNATURE OF APPLICANT (Owner(s))	CAPA	CITY OR 1	NTLE		٥	ATE
Majore & Verens	کے	6.60	an Frod.	et Mas		3/3//93
FORM CSSD-470 (5-49) Edition of FORM LS-170, 3-50-19-14-15-16-16	Se Se	rety	me J <i>Sizber</i> a	Perens	4 °	3-26-93

## EXHIBIT A ORIGIN AND BREEDING HISTORY OF A1395

1986 Cross was made in Redwood Falls, MN Parentage: P9061\*A2234

1986-87 F1 and F2 generation grown near Isabela, Puerto Rico. (Winter)

1987 F3 generation grown at Redwood Falls, MN. Two hundred plants selected from a bulk population and threshed individually.

Progeny Row Yield Trial A861874 A88-PY127 was selected for its uniformity in plant height, standability, and yield. This row was harvested in bulk and seeds were checked and verified for uniform seed coat luster and hilum color.

1988 (Oct) A861874 A88-PY127 was determined to be a unique and stable line.

A861874 A88-PY127 was entered in a preliminary (R152-18) yield test, conducted at a total of 5 locations in Minnesota, Wisconsin and Michigan.

1989 (Oct) 100 F5 plants were selected and threshed individually.

1990 A861874 A88-PY127 was entered in the advanced V100 test conducted at 7 locations in 3 states.

Pure rows were grown at Redwood Falls, MN.

A861874 A88-PY127 was entered in the advanced V100 and V150 tests as experimental stage 2 XR1516, conducted at 7 and 15 locations respectively.

A 50 entry subline yield test was conducted at 3 locations in 3 states. 5 of the top yielding sublines were then bulked to form the main seed source.

50 lbs of breeders seed were sent to Puerto Rico for seed increase.

XP1516 was entered into the advanced V100 and V150 yield test conducted at 7 and 16 locations respectively. Foundation seed of XP1516 was produced near Perry, Iowa. XP1516 was nominated for release and assigned the designation A1395. A1395 is uniform and stable within commercially acceptable limits based on trial observations since October, 1988. As with other soybean varieties, varients can occur for almost any characteristics during the course of repeated sexual reproduction.

## EXHIBIT B NOVELTY STATEMENT CONCERNING A1395 SOYBEAN

To our knowledge, the soybean varieties that closely resemble A1395 are A1929, Hardin 91 and Sturdy.

1) Hilum Color

A1395=Imperfect Black

A1929=Imperfect Black

Hardin91=Yellow

Sturdy=Imperfect Black

2) Peroxidase Activity

A1395=Low A1929=High Hardin91=\_\_\_ Sturdy=\_\_\_

3) Reaction to Races of Phythophthora mega sperma f. sp. glycinea

Races 24 25 2 5 9 10 19 20 3 4 7 8 11 12 13 16 17 A1395 S S R S RRR R R R R R R R R S R A1929 RRRRRR R R R R R S R S S R S HARDIN91 R R S S S S S S R R R S S R R S S S S S S SS STURDY R R R R R

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

EXHIBIT C (Soybean)

# OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

SOYBEA	IN (Glycine max L.)	•
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
ASGROW SEED COMPANY	XP1516	A1395
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code 9638-190-23	e)	FOR OFFICIAL USE ONLY
Gull Road - Building 190 Kalamazoo, MI 49001		9300205
Choose the appropriate response which characterizes the var in your answer is fewer than the number of boxes provided, Starred characters * are considered fundamental to an adequate when information is available.	place a zero in the first box w	hen number is 9 or less (e.g., 0 9).
1. SEED SHAPE:  2  1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		(L/W ratio > 1.2; L/T ratio = < 1.2) L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	oy'; 'Gæoy 17')	
4. SEED SIZE: (Mature Seed)		
1 4 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
5 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bia	ack 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 1 = Yeltow 2 = Green		· · · · · · · · · · · · · · · · · · ·
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:	· · · · · · · · · · · · · · · · · · ·	
1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';	h bronze band below cotyledons 'Coker Hampton 266A')	(Woodworth'; 'Tracy')
10. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Ovat 3 = Ovate	4 = Other (Specify)	

11. L	EAFLE	T SIZE:	·····	<del></del>				<u> </u>
	2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 ≈ Mediun	n (*Corsoy 7	'9'; 'Gasoy 17'}			
12. L	EAF C	OLOR:				······································		
	2	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Mediun	n Green ('C	orsoy 79'; 'Braxton'	1 .		
13. F	LOWE	R COLOR:					•	
	2	1 = White 2 = Purple	3 = White with	h purple thr	oat			
14. F	OD CO	LOR:	·	<del> </del>		A Section 1		-
	2	1 = Tan 2 = 8rown	3 = Black			e V		
15. F	LANT	PUBESCENCE COLOR:						
		1 = Gray 2 = Brown (Tawny)						
16. 5	PLANT	TYPES:				er van de verste van de ve		
	2	1 = Siender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = laterm	nediate ('Aπ	ncor'; 'Braxton')			
17. 1	PLANT	HABIT:	<del>***</del>					
	3	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Po		Determinate	( <b>'W</b> ill')	·		
18. 1	MATUF	ITY GROUP:		·······				
0	4	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VI	4 = I III 12 = IX	5 = II 13 = X	6 = III	7 = IV	8 = V	·
19. (	DISEAS	E REACTION: (Enter 0 = Not Tested; 1 =	Susceptible; 2 = Re	esistant)				
		ERIAL DISEASES:						
*	0	Bacterial Pustule (Xanthomonas phaseoli	var enjensiel		•			
*		Bacterial Blight (Pseudomonas glycinea)	••••		•		- 2	
· <b>^</b>		Wildfire (Pseudomonas tabaci)						
×	<u></u>	L DISEASES:						
*	0							
	لٽا	Brown Spot (Septorie glycines)						
*	0	Race 1 Race 2	Race 3	Race 4	Race 5	Other (Sp.	ecify)	
•	0	Target Spot (Corynespora cassiicola)			<b>1</b>			<del></del>
	1	Downy Mildew (Peronospora trifoliorum	var. manshurica)			·		
		Powdery Mildew (Microsphaera diffusa)			•			
*		Brown Stem Rot (Cephalosporium gregation	um)					
		Stem Canker (Diaporthe phaseolorum var	. caulivora)					,

FORM LMGS-470-57 (6-83)

19. DISEASE REACTIO	N: (Enter 0 = Not Tested; 1 = Susceptible; 2 = F	Resistant) (Continued)							
FUNGAL DISEAS	ES: (Continued)								
★ 0 Pod and Ste	m Blight (Diaporthe phaseolorum var; sojae)		1. Tu						
O Purple Seed	Stain (Cercospora kikuchii)		1. St. 1. 1. 1. 1.	and the second second					
O Rhizoctonia	Root Rot (Rhizoctonia solani)			Service Services					
Phytophtho	ra Rot (Phytophthora megasperma var. sojae)			÷					
★ 2 Race 1	2 Race 2 2 Race 3 2	Race 4 2 Race 5	0 Race 6 2	Race 7					
2 Race 8	2 Race 9 Other (Specify) 1	0, 11, 13, 14, 17							
VIRAL DISEASES	::								
O Bud Blight	Tobacco Ringspot Virus)								
	aic (Bean Yellow Mosaic Virus)								
4	saic (Cowpea Chlorotic Virus)								
	(Bean Pod Mottle Virus)								
	(Soybean Mosaic Virus)		, market i						
NEMATODE DISE	· ·								
Soybean Cy	st Nematode (Heterodera glycines)	· <b></b>							
Race 1	O Race 2 1 Race 3	Race 4 Other (Sc	pecify)						
O Lance Nema	ntode (Hopiniaimus Colombus)		Ŧ						
★ 0 Southern Ro	oot Knot Nematode (Meloidogyne incognita)								
★ 0 Northern Re	oot Knot Nematode (Meloidogyne Hapla)			6 (6 )					
O Peanut Roo	t Knot Nematode (Meloidogyne arenaria)								
0 Reniform N	ematode (Rotylenchulus reniformis)								
OTHER DIS	EASE NOT ON FORM (Specify):			<u> </u>					
				·					
	ESPONSES: (Enter 0 = Not Tested; 1 = Suscept	ible; 2 = Resistant)							
★ 1 Iron Chloros	is on Calcareous Soil								
Other (Spec	fy)		· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • •					
21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)									
Mexican Bea	n Beetle (Epilachna varivestis)								
O Potato Leaf	Hopper (Empoasca fabae)								
Other (Speci	fy)								
22. INDICATE WHICH V	ARIETY MOST CLOSELY RESEMBLES THA	SUBMITTED.							
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VA	ARIETY					
Plant Shape	A1929	Seed Coat Luster	A1929						
Leaf Shape	A1929	Seed Size	A1929						
Leaf Color	A1929	Seed Shape	A1929						
Leaf Size	A1929	Seedling Pigmentation	A1929						
		•		· · · · · · · · · · · · · · · · · · ·					

### 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO, OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
A1395 Submitted	122	1.7	76	8.1	12.8	40.2	21.1	14	2.8
A1929 Name of Similar Variety	126	1.6	844	8.6	13.4	41.0	20.2	17	2.7

### PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

# EXHIBIT D ADDITIONAL DESCRIPTION OF VARIETY

Al395 is a mid-group I cultivar that possesses an outstanding combination of characteristics needed by producers in its maturity zone. It combines high yield potential, excellent standability, and resistance to many races of <u>Phytophthora megasperma</u> f. sp. <u>glycinea</u> conferred by the RpslK alleles.



# EXHIBIT E STATEMENT OF BASIS OF APPLICANT OWNERSHIP

A1395 was originated and developed by Roger L. Lussenden, an Asgrow plant breeder. By agreement between Asgrow Seed Company, all rights to any invention, discovery or development made by employees are assigned to the company. No rights of such invention, discovery or development are returned by the employee.